

FINI COMPRESSORS



K-MAX 7.5-10

Zapremina rezervoara	-
Protok vazduha	1050 l/min
Snaga motora	7,5 KW ili 10HP
Radni pritisak	10 bara
Nivo buke	62 db(A)
Prikljucak	½ "
Dimenzije	80x65x86 cm
Tezina	165 kg



K-MAX 11-10

Zapremina rezervoara	-
Protok vazduha	1550 l/min
Snaga motora	11 KW ili 15HP
Radni pritisak	10 bara
Nivo buke	68 db(A)
Priključak	¾ "
Dimenzije	100x70x100cm
Tezina	230 kg



K-MAX 15-10

Zapremina rezervoara	-
Protok vazduha	2050 l/min
Snaga motora	15 KW ili 20HP
Radni pritisak	10 bara
Nivo buke	68 db(A)
Priključak	¾ "
Dimenzije	100x70x100cm
Tezina	250 kg



K-MAX 7.5-10-500

Zapremina rezervoara	500 litara
Protok vazduha	1050 l/min
Snaga motora	7,5 KW ili 10HP
Radni pritisak	10 bara
Nivo buke	62 db(A)
Priključak	½ "
Dimenzije	200x65x150 cm
Tezina	305 kg



K-MAX 11-10-500

Zapremina rezervoara	500 litara
Protok vazduha	1550 l/min
Snaga motora	11 KW ili 15HP
Radni pritisak	10 bara
Nivo buke	68 db(A)
Priključak	¾ "
Dimenzije	200x73x170 cm
Tezina	380 kg



K-MAX 15-10-500

Zapremina rezervoara	500 litara
Protok vazduha	2050 l/min
Snaga motora	15 KW ili 20HP
Radni pritisak	10 bara
Nivo buke	68 db(A)
Priključak	3/4 "
Dimenzije	200x73x170 cm
Tezina	400 kg

K-MAX VARIABLE SPEED 7.5 - 11 - 15 kW

FINI COMPRESSORS



K-MAX 7.5-10 VS

Zapremina rezervoara	-
Protok vazduha	1100/440 l/min
Snaga motora	7,5 KW ili 10HP
Radni pritisak	10 bara
Nivo buke	63 db(A)

Priključak	½ "
Dimenzije	80x65x86 cm
Tezina	175 kg



K-MAX 11-10 VS

Zapremina rezervoara	-
Protok vazduha	1550/620 l/min
Snaga motora	11 KW ili 15HP
Radni pritisak	10 bara
Nivo buke	68 db(A)
Priključak	¾ "
Dimenzije	100x70x100cm
Tezina	240 kg

--	--



K-MAX 15-10 VS

Zapremina rezervoara	-
Protok vazduha	2100 / 840 l/min
Snaga motora	15 KW ili 20HP
Radni pritisak	10 bara
Nivo buke	68 db(A)
Priključak	¾ "

Dimenzije	100x70x100cm
Tezina	260 kg